

# Lactanet - Valacta

555, BOUL. DES ANCIENS-COMBATTANTS,  
 SAINTE-ANNE-DE-BELLEVUE, QUÉBEC, CANADA H9X 3R4  
 TÉL. : (514) 459-3030 (1 800 BON-LAIT)  
 INTERNET : www.valacta.com

## Certificat des analyses / Certificate of analysis

LAIT HOMOGENÉISÉ / HOMOGENISED MILK

Lot : HO-03-2021

Utiliser avant/Use before: 2021-04-13

Échantillon/ Sample	Poids / Poids (%); Weight / Weight (%)			
	MATIÈRE GRASSE/ FAT	PROTEINE BRUTE/ CRUDE PROTEIN	LACTOSE	SOLIDES TOTAUX/ TOTAL SOLIDS
1	0.07	3.53	4.82	9.34
2	0.97	3.45	4.75	10.13
3	1.96	3.42	4.74	11.06
4	3.24	3.36	4.65	12.20
5	3.47	3.39	4.63	12.46
6	3.83	3.38	4.60	12.79




Jean-Philippe Angers, M. Sc., Chimiste/Chemist

Date: 2021-03-08

# Lactanet - Valacta

555, BOUL. DES ANCIENS-COMBATTANTS,  
 SAINTE-ANNE-DE-BELLEVUE, QUÉBEC, CANADA H9X 3R4  
 TÉL. : (514) 459-3030 (1 800 BON-LAIT)  
 INTERNET : www.valacta.com

## Certificat des analyses/Certificate of analysis

LAIT HOMOGENÉISÉ / HOMOGENISED MILK

Lot : HO-03-2021

Utiliser avant/Use before: 2021-04-13

Échantillon/ Sample	Poids / Volume (%); Weight / Volume (%)			
	MATIÈRE GRASSE/ FAT	PROTÉINE BRUTE/ CRUDE PROTEIN	LACTOSE	SOLIDES TOTAUX/ TOTAL SOLIDS
1	0.07	3.65	4.98	9.66
2	1.00	3.57	4.91	10.48
3	2.03	3.54	4.90	11.44
4	3.35	3.47	4.81	12.62
5	3.59	3.50	4.79	12.88
6	3.96	3.50	4.76	13.22



Jean-Philippe Angers, M. Sc., Chimiste/Chemist

Date: 2021-03-08